



Printing date 01/14/2025 Reviewed on 01/14/2025

1 Identification

· Product identifier

· Trade name: SHS53 SILVER DOLLAR COARSE

· Article number: SHS53

· Details of the supplier of the safety data sheet

· Manufacturer/Supplier:

NorthStar is a product of Lusid Technologies Inc

4725 S Camp Kearns Road

Kearns, UT 84118 (801) 966-5300

info@lusidtechnologies.com

· Information department: Product safety department

· Emergency telephone number:

24 Hrs Emergency Contact:

INFOTRAC 1-800-535-5053

2 Hazard(s) identification

· Classification of the substance or mixture



GHS02 Flame

Flammable Liquids 3 H226 Flammable liquid and vapor.

Substances and mixtures which, in contact with H261 In contact with water releases flammable water, emit flammable gases 2 gas.



GHS08 Health hazard

Germ Cell Mutagenicity 1B H340 May cause genetic defects.

Carcinogenicity 1A H350 May cause cancer.



Specific Target Organ Toxicity - Single Exposure 3 H336 May cause drowsiness or dizziness.

- · Label elements
- · GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

(Contd. on page 2)

Printing date 01/14/2025 Reviewed on 01/14/2025

Trade name: SHS53 SILVER DOLLAR COARSE

(Contd. of page 1)

· Hazard pictograms







GHS02 GHS07

· Signal word Danger

· Hazard-determining components of labeling:

n-butyl acetate

ethylbenzene

Solvent naphtha (petroleum), light arom.

ethanol

· Hazard statements

Flammable liquid and vapor.

In contact with water releases flammable gas.

May cause genetic defects.

May cause cancer.

May cause drowsiness or dizziness.

· Precautionary statements

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Do not allow contact with water.

Handle under inert gas. Protect from moisture.

Ground/bond container and receiving equipment.

Use explosion-proof electrical/ventilating/lighting/equipment.

Use only non-sparking tools.

Take precautionary measures against static discharge.

Avoid breathing dust/fume/gas/mist/vapors/spray

Use only outdoors or in a well-ventilated area.

Wear protective gloves/protective clothing/eye protection/face protection.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

IF exposed or concerned: Get medical advice/attention.

Call a poison center/doctor if you feel unwell.

Brush off loose particles from skin. Immerse in cool water/wrap in wet bandages.

In case of fire: Use CO2, sand, extinguishing powder to extinguish.

Store in a dry place. Store in a closed container.

Store in a well-ventilated place. Keep container tightly closed.

Store in a well-ventilated place. Keep cool.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· Classification system:

· NFPA ratings (scale 0 - 4)



Health = 0 Fire = 3 Reactivity = 2

The substance demonstrates unusual reactivity with water.

(Contd. on page 3)

(Contd. of page 2)

Safety Data Sheet acc. to OSHA HCS

Printing date 01/14/2025 Reviewed on 01/14/2025

Trade name: SHS53 SILVER DOLLAR COARSE

· HMIS-ratings (scale 0 - 4)

HEALTH *0 Health = *0
FIRE 3 Fire = 3
REACTIVITY 2 Reactivity = 2

- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable. · **vPvB:** Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · **Description**: Mixture of the substances listed below with nonhazardous additions.

· Dangerous	· Dangerous components:				
123-86-4	n-butyl acetate	25-50%			
7429-90-5	aluminium	10-25%			
64742-47-8	Distillates (petroleum), hydrotreated light	2.5-10%			
1330-20-7	xylene	≤2.5%			
100-41-4	ethylbenzene	≤2.5%			
64-17-5	ethanol	≤2.5%			
64742-95-6	Solvent naphtha (petroleum), light arom.	≤2.5%			
67-56-1	methanol	≤2.5%			

4 First-aid measures

- · Description of first aid measures
- General information: Immediately remove any clothing soiled by the product.
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Immediately rinse with water.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed

No further relevant information available.

· Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

- Extinguishing media
- · Suitable extinguishing agents:

Extinguishing powder. Do not use water.

CO2. Do not use water.

Sand. Do not use water.

Special powder for metal fires. Do not use water.

CO2, sand, extinguishing powder. Do not use water.

- · For safety reasons unsuitable extinguishing agents: Water
- Special hazards arising from the substance or mixture No further relevant information available.

(Contd. on page 4)

Printing date 01/14/2025 Reviewed on 01/14/2025

Trade name: SHS53 SILVER DOLLAR COARSE

(Contd. of page 3)

· Advice for firefighters

· Protective equipment: No special measures required.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Environmental precautions:

Prevent seepage into sewage system, workpits and cellars.

Dilute with plenty of water.

Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

Do not flush with water or aqueous cleansing agents

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

Protective Action Criteria for Chemicals

123-86-4	n-butyl acetate	5 ppm
1330-20-7	xylene	130 ppm
100-41-4	ethylbenzene	33 ppm
95-63-6	1,2,4-trimethylbenzene	140 ppm
64-17-5	ethanol	1,800 ppr
108-65-6	2-methoxy-1-methylethyl acetate	50 ppm
67-56-1	methanol	530 ppm
122-99-6	2-phenoxyethanol	1.5 ppm
7664-38-2	phosphoric acid	3 mg/m³
67-63-0	propan-2-ol	400 ppm
PAC-2:		·
123-86-4	n-butyl acetate	200 ppm
1330-20-7	xylene	920* ppm
100-41-4	ethylbenzene	1100* ppi
95-63-6	63-6 1,2,4-trimethylbenzene	
64-17-5	ethanol	3300* ppi
108-65-6	2-methoxy-1-methylethyl acetate	1,000 ppr
67-56-1	methanol	2,100 ppr
122-99-6	2-phenoxyethanol	16 ppm
7664-38-2	phosphoric acid	30 mg/m ³
67-63-0 propan-2-ol		2000* ppi
PAC-3:		
123-86-4	n-butyl acetate	3000* ppm
1330-20-7	xylene	2500* ppm
100-41-4	ethylbenzene	1800* ppm
95-63-6	1,2,4-trimethylbenzene	480 ppm

- USA

Printing date 01/14/2025 Reviewed on 01/14/2025

Trade name: SHS53 SILVER DOLLAR COARSE

64-17-5	ethanol	(Contd. of page 4) 15000* ppm
108-65-6	2-methoxy-1-methylethyl acetate	5000* ppm
67-56-1	methanol	7200* ppm
122-99-6	2-phenoxyethanol	97 ppm
7664-38-2	phosphoric acid	150 mg/m³
67-63-0	propan-2-ol	12000** ppm

7 Handling and storage

- · Handling:
- · Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

Prevent formation of aerosols.

· Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

Keep respiratory protective device available.

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions:

Keep receptacle tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

· Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see section 7.
- · Control parameters
- Components with limit values that require monitoring at the workplace:

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.

At this time, the other constituents have no known exposure limits.

123-8	86-4 n-butyl acetate
PEL	Long-term value: 710 mg/m³, 150 ppm
REL	Short-term value: 950 mg/m³, 200 ppm Long-term value: 710 mg/m³, 150 ppm
TLV	Short-term value: 150 ppm Long-term value: 50 ppm
1330	-20-7 xylene
PEL	Long-term value: 435 mg/m³, 100 ppm
REL	Short-term value: 655 mg/m³, 150 ppm Long-term value: 435 mg/m³, 100 ppm
TLV	Long-term value: 20 ppm BEI, A4
	(Contd. on page 6)

(Contd. on page 6)

Printing date 01/14/2025 Reviewed on 01/14/2025

Trade name: SHS53 SILVER DOLLAR COARSE

100	(Contd. of page
	41-4 ethylbenzene
PEL	Long-term value: 435 mg/m³, 100 ppm
REL	Short-term value: 545 mg/m³, 125 ppm
	Long-term value: 435 mg/m³, 100 ppm
TLV	Long-term value: 20 ppm
	OTO, BEI, A3
64-1	7-5 ethanol
PEL	Long-term value: 1900 mg/m³, 1000 ppm
REL	Long-term value: 1900 mg/m³, 1000 ppm
TLV	Short-term value: 1000 ppm
	A3
67-5	6-1 methanol
PEL	Long-term value: 260 mg/m³, 200 ppm
REL	Short-term value: 325 mg/m³, 250 ppm
	Long-term value: 260 mg/m³, 200 ppm
	Skin
TLV	Short-term value: 250 ppm
	Long-term value: 200 ppm
	Skin; BEIc
· Ingre	edients with biological limit values:
1330	-20-7 xylene
BEI	1.5 g/g creatinine
	Medium: urine
	Time: end of shift
	Parameter: Methylhippuric acids
	41-4 ethylbenzene
	0.15 g/g creatinine
	Medium: urine
	Time: end of shift at end of workweek
	Parameter: Sum of mandelic acid and phenylglyoxylic acid (nonspecific)
	6-1 methanol
	15 mg/L
	Medium: urine
	Time: end of shift Parameter: Methonal (hookground, nononcoifia)
	Parameter: Methanol (background, nonspecific)

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

(Contd. on page 7)

(Contd. of page 6)

Safety Data Sheet acc. to OSHA HCS

Printing date 01/14/2025 Reviewed on 01/14/2025

Trade name: SHS53 SILVER DOLLAR COARSE

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

9 Physical and chemical properties

· Information on basic physical and · General Information	l chemical properties
· Appearance:	
Form:	Liquid
Color:	Silver
· Odor:	Characteristic
· Odor threshold:	Not determined.
· pH-value:	Not determined (pH N/A in solvent coatings)
· Change in condition Melting point/Melting range: Boiling point/Boiling range:	Undetermined. 124-128 °C (255.2-262.4 °F)
· Flash point:	27 °C (80.6 °F)
· Flammability:	Flammable. Contact with water liberates extremely flammable gases.
· Auto igniting:	370 °C (698 °F)
· Decomposition temperature:	Not determined.
· Ignition temperature:	Product is not selfigniting.
· Danger of explosion:	Product is not explosive. However, formation of explosive air vapor mixtures are possible.
· Explosion limits: Lower:	1.2 Vol %

(Contd. on page 8)

Printing date 01/14/2025 Reviewed on 01/14/2025

Trade name: SHS53 SILVER DOLLAR COARSE

		(Contd. of pag
Upper:	7.5 Vol %	
Vapor pressure at 20 °C (68 °F):	10.7 hPa (8 mm Hg)	
Vapor pressure at 50 °C (122 °F):	55 hPa (41.3 mm Hg)	
Density at 20 °C (68 °F):	1.1966 g/cm³ (9.9856 lbs/gal)	
Relative density	Not determined.	
Vapor density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
Water:	Fully miscible.	
Partition coefficient (n-octanol/wate	er): Not determined.	
Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent content:		
Organic solvents:	38.2 %	
VOC content:	38.17 %	
	345.0 g/l / 2.88 lb/gal	
Solids content:	71.2 %	
Other information	No further relevant information available.	

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- · Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- Possibility of hazardous reactions Contact with water releases flammable gases.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

123-86-4 n-butyl acetate

 Oral
 LD50
 13,100 mg/kg (rat)

 Dermal
 LD50
 >5,000 mg/kg (rabbit)

 Inhalative
 LC50/4 h
 >21 mg/l (rat)

- · Primary irritant effect:
- · on the skin: No irritant effect.
- on the eye: No irritating effect.
- · Sensitization: No sensitizing effects known.

(Contd. on page 9)

Printing date 01/14/2025 Reviewed on 01/14/2025

Trade name: SHS53 SILVER DOLLAR COARSE

(Contd. of page 8)

· Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

The product can cause inheritable damage.

· Carcinogenic categories

· IARC (Inte	rnational Agency for Research on Cancer)					
1330-20-7	ylene					
	ethylbenzene					
64-17-5	ethanol					
67-63-0	propan-2-ol					
-	· NTP (National Toxicology Program)					
None of the	None of the ingredients is listed.					
· OSHA-Ca (Occupational Safety & Health Administration)						
None of the ingredients is listed.						

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes: Not hazardous for water.
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

14 Transport information UN-Number DOT, IMDG, IATA UN3148 UN proper shipping name DOT Water-reactive liquid, n.o.s. (Aluminum powder) (Contd. on page 10)

ii page 10)

Printing date 01/14/2025 Reviewed on 01/14/2025

Trade name: SHS53 SILVER DOLLAR COARSE

	(Contd. of page
IMDG, IATA	WATER-REACTIVE LIQUID, N.O.S. (ALUMINIUI POWDER)
Transport hazard class(es)	
DOT	
DMCEROUS UT	
	4.3 Substances which, in contact with water, emflammable gases
Label	4.3
· IMDG, IATA	
	4.3 Substances which, in contact with water, em flammable gases 4.3
	4.3
· Packing group · DOT, IMDG, IATA	II .
Environmental hazards:	Not applicable.
· Special precautions for user	Warning: Substances which, in contact with water emit flammable gases
Hazard identification number (Kemler code):	
	F-G,S-N (SGC15) Powdered metals
Segregation groups	(SGG15) Powdered metals
· Stowage Category · Stowage Code	⊏ SW2 Clear of living quarters.
	H1 Keep as dry as reasonably practicable
Segregation Code	SG26 In addition: from goods of classes 2.1 and when stowed on deck of a containership a minimul distance of two container spaces athwartship shall be maintained, when stowed on ro-ro ships a distance of m athwartship shall be maintained.
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
· Transport/Additional information:	
·DOT	
· Quantity limitations	On passenger aircraft/rail: 1 L On cargo aircraft only: 5 L
· IMDG	
, , ,	500 ml
	Code: E2
	Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
	(Contd. on page 1

Printing date 01/14/2025 Reviewed on 01/14/2025

Trade name: SHS53 SILVER DOLLAR COARSE

(Contd. of page 10)

· UN "Model Regulation": UN 3148 WATER-REACTIVE LIQUID, N.O.S.

(ALUMINIUM POWDER), 4.3, II

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- Sara

· Section 355	(extremely	y hazardous	substances	:):
---------------	------------	-------------	------------	-----

None of the ingredients is listed.

. 9	oction	212	(Sna	cific	tovic	chor	nical	listing	16).
- 0	ましいひこ	$\sigma \iota \sigma$	IJDE	CIIIC	LUAIL	CITEI	ıııcaı	Hallin	ıoı.

7429-90-5	aluminium
1330-20-7	xvlene

100-41-4 ethylbenzene

95-63-6 1,2,4-trimethylbenzene

67-56-1 methanol

122-99-6 2-phenoxyethanol

7664-38-2 phosphoric acid

67-63-0 propan-2-ol

· TSCA (Toxic Substances Control Act):

123-86-4	n-butyl acetate	ACTIVE
7429-90-5	aluminium	ACTIVE
64742-47-8	Distillates (petroleum), hydrotreated light	ACTIVE
1330-20-7		ACTIVE
	ethylbenzene	ACTIVE
95-63-6	1,2,4-trimethylbenzene	ACTIVE
64-17-5	ethanol	ACTIVE
	2-methoxy-1-methylethyl acetate	ACTIVE
64742-95-6	Solvent naphtha (petroleum), light arom.	ACTIVE
67-56-1	methanol	ACTIVE
	2-phenoxyethanol	ACTIVE
7664-38-2	phosphoric acid	ACTIVE
67-63-0	propan-2-ol	ACTIVE

· Hazardous Air Pollutants

1330-20-7	xylene
	ethylbenzene
67-56-1	methanol

Proposition 65

· Chemicals known to cause cancer:

100-41-4 ethylbenzene

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

(Contd. on page 12)

A3

А3 A4

Safety Data Sheet acc. to OSHA HCS

Printing date 01/14/2025 Reviewed on 01/14/2025

Trade name: SHS53 SILVER DOLLAR COARSE

(Contd. of page 11) · Chemicals known to cause developmental toxicity: 64-17-5 ethanol 67-56-1 methanol

· Carcinogenic categories

•	ronmental Protection Agency)	
1330-20-7	xylene	1
100-41-4	ethylbenzene	D
95-63-6	1,2,4-trimethylbenzene	11
· TLV (Thre	shold Limit Value)	
7429-90-5	aluminium	A4
1330-20-7	xylene	A4

100-41-4 ethylbenzene 64-17-5 ethanol 67-63-0 propan-2-ol

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

Hazard pictograms







GHS02 GHS07 GHS08

· Signal word Danger

· Hazard-determining components of labeling:

n-butyl acetate ethylbenzene

Solvent naphtha (petroleum), light arom.

ethanol

· Hazard statements

Flammable liquid and vapor.

In contact with water releases flammable gas.

May cause genetic defects.

May cause cancer.

May cause drowsiness or dizziness.

· Precautionary statements

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Do not allow contact with water.

Handle under inert gas. Protect from moisture.

Ground/bond container and receiving equipment.

Use explosion-proof electrical/ventilating/lighting/equipment.

Use only non-sparking tools.

Take precautionary measures against static discharge.

Avoid breathing dust/fume/gas/mist/vapors/spray

Use only outdoors or in a well-ventilated area.

(Contd. on page 13)

Printing date 01/14/2025 Reviewed on 01/14/2025

Trade name: SHS53 SILVER DOLLAR COARSE

(Contd. of page 12)

Wear protective gloves/protective clothing/eye protection/face protection.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

IF exposed or concerned: Get medical advice/attention.

Call a poison center/doctor if you feel unwell.

Brush off loose particles from skin. Immerse in cool water/wrap in wet bandages.

In case of fire: Use CO2, sand, extinguishing powder to extinguish.

Store in a dry place. Store in a closed container.

Store in a well-ventilated place. Keep container tightly closed.

Store in a well-ventilated place. Keep cool.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · National regulations:
- · Information about limitation of use:

Workers are not allowed to be exposed to the hazardous carcinogenic materials contained in this preparation. Exceptions can be made by the authorities in certain cases.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Environment protection department.
- · Contact: Product Safety Dept.
- · Date of preparation / last revision 01/14/2025 / 1
- · Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value
PEL: Permissible Exposure Limit
REL: Recommended Exposure Limit
BEI: Biological Exposure Limit

Flammable Liquids 3: Flammable liquids – Category 3

Substances and mixtures which, in contact with water, emit flammable gases 2: Substances and mixtures which in contact with water emit flammable gases – Category 2

Germ Cell Mutagenicity 1B: Germ cell mutagenicity - Category 1B

Carcinogenicity 1A: Carcinogenicity - Category 1A

Specific Target Organ Toxicity - Single Exposure 3: Specific target organ toxicity (single exposure) - Category 3

* Data compared to the previous version altered.

- 1197