

## Safety Data Sheet

acc. to OSHA HCS

Printing date 03/30/2020

Reviewed on 02/26/2020

Page 1/10

## **1** Identification

- · Product identifier
- · Trade name: AV.002 HARDENER
- · Article number: AV.002
- · Details of the supplier of the safety data sheet

 Manufacturer/Supplier: Lusid Technologies
 4725 S Camp Kearns Road
 Kearns, UT 84118
 USA
 www.lusidtechnologies.com

- Information department: Product safety department
   Emergency telephone number: 24 Hrs Emergency Contact: INFOTRAC
- 1-800-535-5053

## 2 Hazard(s) identification

· Classification of the substance or mixture

GHS02 Flame

Flam. Liq. 3 H226 Flammable liquid and vapor.

GHS08 Health hazard

Resp. Sens. 1H334May cause allergy or asthma symptoms or breathing difficulties if inhaled.Carc. 2H351Suspected of causing cancer.

GHS07

Skin Irrit. 2 H315 Causes skin irritation.
Eye Irrit. 2A H319 Causes serious eye irritation.
Skin Sens. 1 H317 May cause an allergic skin reaction.

· Label elements

· GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

(Contd. on page 2)

USA

Printing date 03/30/2020

Reviewed on 02/26/2020

Trade name: AV.002 HARDENER

(Contd. of page 1) · Hazard pictograms GHS02 GHS08 · Signal word Danger · Hazard-determining components of labeling: poly(hexamethylene diisocyanate) 4-chloro-alpha, alpha, alpha-trifluorotoluene · Hazard statements Flammable liquid and vapor. Causes skin irritation. Causes serious eye irritation. May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause an allergic skin reaction. Suspected of causing cancer. · Precautionary statements Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Avoid breathing dust/fume/gas/mist/vapors/spray Wash thoroughly after handling. Contaminated work clothing must not be allowed out of the workplace. Wear protective gloves/protective clothing/eye protection/face protection. [In case of inadequate ventilation] wear respiratory protection. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. If inhaled: If breathing is difficult, remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF exposed or concerned: Get medical advice/attention. Specific treatment (see on this label). Take off contaminated clothing and wash it before reuse. If skin irritation or rash occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. If experiencing respiratory symptoms: Call a poison center/doctor. Wash contaminated clothing before reuse. In case of fire: Use for extinction: CO2, powder or water spray. Store in a well-ventilated place. Keep cool. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. · Classification system: · NFPA ratings (scale 0 - 4) Health = 2Fire = 2Reactivity = 0 (Contd. on page 3)

Printing date 03/30/2020

Reviewed on 02/26/2020

### Trade name: AV.002 HARDENER

(Contd. of page 2)

50-100% 10-25%

### · HMIS-ratings (scale 0 - 4)



### · Other hazards

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

### 3 Composition/information on ingredients

- <sup>•</sup> Chemical characterization: Mixtures
- · Description: Mixture of the substances listed below with nonhazardous additions.

### · Dangerous components:

28182-81-2 poly(hexamethylene diisocyanate)

### 98-56-6 4-chloro-alpha,alpha,alpha-trifluorotoluene

## 4 First-aid measures

### · Description of first aid measures

· General information: Immediately remove any clothing soiled by the product.

#### · After inhalation:

- Supply fresh air and to be sure call for a doctor.
- In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- After swallowing: If symptoms persist consult doctor.
- Information for doctor:
- *Most important symptoms and effects, both acute and delayed* No further relevant information available.
- *Indication of any immediate medical attention and special treatment needed* No further relevant information available.

## 5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- For safety reasons unsuitable extinguishing agents: Water with full jet
- · Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- · Protective equipment: No special measures required.

### 6 Accidental release measures

• Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.

(Contd. on page 4)

Printing date 03/30/2020

Reviewed on 02/26/2020

### Trade name: AV.002 HARDENER

	(Contd. of page 3)			
<ul> <li>Environmental precautions: Do not allow to enter sewers/ surface or ground water.</li> </ul>				
Methods and material for containment and cleaning up:				
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).				
Dispose contaminated material as waste according to item 13.				
Ensure adequate ventilation.				
· Reference to other sections				
See Section 7 for information on safe handling.				
See Section 8 for information on personal protection equipment.				
See Section 13 for disposal information.				
· Protective Action Criteria for Chemicals				
· PAC-1:				
28182-81-2 poly(hexamethylene diisocyanate)	7.8 mg/m³			
· PAC-2:				
28182-81-2 poly(hexamethylene diisocyanate)	86 mg/m³			
· PAC-3:				
28182-81-2 poly(hexamethylene diisocyanate)	510 mg/m³			

## 7 Handling and storage

- · Handling:
- **Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care. Prevent formation of aerosols.
- Information about protection against explosions and fires: Keep ignition sources away - Do not smoke.
   Protect against electrostatic charges.
   Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

## 8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see item 7.

Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

• Additional information: The lists that were valid during the creation were used as basis.

### • Exposure controls

- Personal protective equipment:
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work.

(Contd. on page 5)

<sup>·</sup> Control parameters

Printing date 03/30/2020

Reviewed on 02/26/2020

### Trade name: AV.002 HARDENER

(Contd. of page 4) Store protective clothing separately. Avoid contact with the eyes and skin. • <b>Breathing equipment:</b> In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air. • <b>Protection of hands:</b>				
Protective gloves				
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation				
<ul> <li>Material of gloves         The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.     </li> <li>Penetration time of glove material         The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.     </li> <li>Eye protection:</li> </ul>				
Tightly sealed goggles				
9 Physical and chemical proper	rties			
<ul> <li>Information on basic physical and c</li> <li>General Information</li> <li>Appearance:</li> <li>Form:</li> </ul>	chemical properties Liquid			
Color:	Clear			
· Odor: · Odor threshold:	Characteristic Not determined.			
· pH-value:	Not determined (pH N/A in solvent coatings)			
Change in condition Melting point/Melting range: Boiling point/Boiling range:	Undetermined. 139 °C (282.2 °F)			
· Flash point:	47 °C (116.6 °F)			
· Flammability (solid, gaseous):	Not applicable.			
· Decomposition temperature:	Not determined.			
· Auto igniting:	Product is not selfigniting.			
· Danger of explosion:	Product is not explosive. However, formation of explosive air/ vapor mixtures are possible.			
	(Contd. on page 6)			

Printing date 03/30/2020

Reviewed on 02/26/2020

Trade name: AV.002 HARDENER

		(Contd. of page
· Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
· Vapor pressure:	Not determined.	
· Density at 20 °C (68 °F):	1.1972 g/cm³ (9.9906 lbs/gal)	
Relative density	Not determined.	
· Vapor density	Not determined.	
· Evaporation rate	Not determined.	
· Solubility in / Miscibility with		
Water:	Not miscible or difficult to mix.	
Partition coefficient (n-octanol/wa	ater): Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
· Solvent content:		
VOC content:	0.00 %	
	20.0 g/l / 0.17 lb/gal	
Solids content:	80.0 %	
Other information	No further relevant information available.	

## 10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

## 11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- on the skin: Irritant to skin and mucous membranes.
- · on the eye: Irritating effect.
- · Sensitization:
- Sensitization possible through inhalation.
- Sensitization possible through skin contact.
- Additional toxicological information: The product shows the following dangers according to internally approved calculation methods for preparations: Harmful
- Irritant

(Contd. on page 7)

USA

Printing date 03/30/2020

Reviewed on 02/26/2020

## Trade name: AV.002 HARDENER

(Contd. of page 6)

2B

- · Carcinogenic categories
- · *IARC (International Agency for Research on Cancer)* 98-56-6 4-chloro-alpha,alpha,alpha-trifluorotoluene

· NTP (National Toxicology Program)

None of the ingredients is listed.

## · OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

## 12 Ecological information

### · Toxicity

- · Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- *Mobility in soil* No further relevant information available.
- · Additional ecological information:

· General notes:

Water hazard class 2 (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- Other adverse effects No further relevant information available.

## 13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.

UN-Number		
DOT, IMDG, IATA	UN1263	
UN proper shipping name		
DOT	Paint mixture	
IMDG, IATA	PAINT mixture	

Printing date 03/30/2020

Reviewed on 02/26/2020

Trade name: AV.002 HARDENER

	(Contd. of page
Transport hazard class(es)	
DOT	
Class	3 Flammable liquids
· Label	3
· IMDG, IATA	
· Class	3 Flammable liquids
· Label	3
· Packing group	
DOT, IMDG, IATA	<i>III</i>
· Environmental hazards:	Not applicable.
· Special precautions for user	Warning: Flammable liquids
Hazard identification number (Kemler code):	
EMS Number:	F-E, <u>S-E</u>
· Stowage Category	A
Transport in bulk according to Annex II of	
MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
DOT	
· Quantity limitations	On passenger aircraft/rail: 60 L
	On cargo aircraft only: 220 L
·IMDG	
Limited quantities (LQ)	5L
<ul> <li>Excepted quantities (EQ)</li> </ul>	Code: E1
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
· UN "Model Regulation":	UN 1263 PAINT MIXTURE, 3, III

## 15 Regulatory information

 $^{\cdot}$  Safety, health and environmental regulations/legislation specific for the substance or mixture  $^{\cdot}$  Sara

· Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

(Contd. on page 9)

USA

Printing date 03/30/2020

Reviewed on 02/26/2020

### Trade name: AV.002 HARDENER

(Contd. of page 8)

• **TSCA (Toxic Substances Control Act):** All components have the value ACTIVE.

· Hazardous Air Pollutants

None of the ingredients is listed.

## · Proposition 65

· Chemicals known to cause cancer:

98-56-6 4-chloro-alpha,alpha,alpha-trifluorotoluene

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

### · Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

• TLV (Threshold Limit Value established by ACGIH)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

Hazard pictograms



· Signal word Danger

· Hazard-determining components of labeling: poly(hexamethylene diisocyanate) 4-chloro-alpha,alpha,alpha-trifluorotoluene · Hazard statements Flammable liquid and vapor. Causes skin irritation. Causes serious eye irritation. May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause an allergic skin reaction. Suspected of causing cancer. · Precautionary statements Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools.

(Contd. on page 10)

Printing date 03/30/2020

Reviewed on 02/26/2020

### Trade name: AV.002 HARDENER

(Contd. of page
Take precautionary measures against static discharge.
Avoid breathing dust/fume/gas/mist/vapors/spray
Wash thoroughly after handling.
Contaminated work clothing must not be allowed out of the workplace.
Wear protective gloves/protective clothing/eye protection/face protection.
[In case of inadequate ventilation] wear respiratory protection.
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
If inhaled: If breathing is difficult, remove person to fresh air and keep comfortable for breathing.
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and ea
to do. Continue rinsing.
IF exposed or concerned: Get medical advice/attention.
Specific treatment (see on this label).
Take off contaminated clothing and wash it before reuse.
If skin irritation or rash occurs: Get medical advice/attention.
If eye irritation persists: Get medical advice/attention.
If experiencing respiratory symptoms: Call a poison center/doctor.
Wash contaminated clothing before reuse.
In case of fire: Use for extinction: CO2, powder or water spray.
Store in a well-ventilated place. Keep cool.
Store locked up.
Dispose of contents/container in accordance with local/regional/national/international regulations.
Chemical safety assessment: A Chemical Safety Assessment has not been carried out.
Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Department issuing SDS:** Environment protection department. **Contact:** Product Safety Dept.
- · Date of preparation / last revision 03/30/2020 / 3
- Abbreviations and acronyms:

IMDG: International Maritime Code for Dangero	us Goods
DOT: US Department of Transportation	
IATA: International Air Transport Association	
ACGIH: American Conference of Governmenta	Industrial Hygienists
EINECS: European Inventory of Existing Comn	nercial Chemical Substances
ELINCS: European List of Notified Chemical St	
CAS: Chemical Abstracts Service (division of th	
NFPA: National Fire Protection Association (US	37
HMIS: Hazardous Materials Identification Syste	
VOC: Volatile Organic Compounds (USA, EU)	()
PBT: Persistent, Bioaccumulative and Toxic	
vPvB: very Persistent and very Bioaccumulative	9
NIOSH: National Institute for Occupational Safe	
OSHA: Occupational Safety & Health	
TLV: Threshold Limit Value	
PEL: Permissible Exposure Limit	
REL: Recommended Exposure Limit	
Flam. Liq. 3: Flammable liquids – Category 3	
Skin Irrit. 2: Skin corrosion/irritation – Category	2
Eye Irrit. 2A: Serious eye damage/eye irritation	– Category 2A
Resp. Sens. 1: Respiratory sensitisation – Cate	
Skin Sens. 1: Skin sensitisation – Category 1	
Carc. 2: Carcinogenicity – Category 2	
* Data compared to the previous ve	rsion altered
Buta compared to the previous ve	

USA